

SAFETY DATA SHEET

Page: 1/3

Revised edition no: 1 Date: 15/7/2005

Supersedes: 0/0/0

Helium

AL061A



IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

: Helium Trade name **MSDS No** : AL061A **Chemical formula** : He

Company identification : AIR LIQUIDE SA

France

See paragraph 16 "OTHER INFORMATION"

: See paragraph 16 "OTHER INFORMATION" **Emergency phone nr**

2 COMPOSITION / INFORMATION ON INGREDIENTS

: Substance. **Substance / Preparation**

Substance name Contents **CAS No** EC No Index No Classification 100 % 7440-59-7

Helium 231-168-5 Contains no other components or impurities which will influence the classification of the product.

3 HAZARDS IDENTIFICATION

Hazards identification Compressed gas.

In high concentrations may cause asphyxiation.

4 FIRST AID MEASURES

First aid measures

- Inhalation : In high concentrations may cause asphyxiation. Symptoms may include loss of

mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing

apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if

breathing stopped.

: Ingestion is not considered a potential route of exposure. - Ingestion

5 FIRE-FIGHTING MEASURES

Flammable class : Non flammable.

: Exposure to fire may cause containers to rupture/explode. Specific hazards

Hazardous combustion products

Extinguishing media

: None.

- Suitable extinguishing media : All known extinguishants can be used.

: If possible, stop flow of product. Specific methods

Move away from the container and cool with water from a protected position.

fighters

Special protective equipment for fire : In confined space use self-contained breathing apparatus.

AIR LIQUIDE SA



SAFETY DATA SHEET

Page: 2/3
Revised edition no: 1

Date: 15/7/2005

Supersedes: 0/0/0

Helium

AL061A

6 ACCIDENTAL RELEASE MEASURES

Personal precautions : Evacuate area.

Wear self-contained breathing apparatus when entering area unless atmosphere is

proved to be safe.

Ensure adequate air ventilation.

Environmental precautions : Try to stop release. **Clean up methods** : Ventilate area.

7 HANDLING AND STORAGE

Storage : Keep container below 50°C in a well ventilated place.

Handling : Suck back of water into the container must be prevented.

Do not allow backfeed into the container.

Use only properly specified equipment which is suitable for this product, its supply

pressure and temperature. Contact your gas supplier if in doubt.

Refer to supplier's container handling instructions.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection : Ensure adequate ventilation.

9 PHYSICAL AND CHEMICAL PROPERTIES

Physical state at 20 °C : Compressed gas.

Colour : Colourless.

Odo(u)r : No odour warning properties.

Molecular weight : 4

Melting point [°C] : Not applicable.

Boiling point [°C] : -269 Critical temperature [°C] : -268

Vapour pressure, 20°C : Not applicable.

Relative density, gas (air=1) : 0.14

Relative density, liquid (water=1) : Not applicable.

Solubility in water [mg/l] : 1.5

Flammability range [vol% in air] : Non flammable.

10 STABILITY AND REACTIVITY

Stability and reactivity : Stable under normal conditions.

11 TOXICOLOGICAL INFORMATION

Toxicity information : No known toxicological effects from this product.

12 ECOLOGICAL INFORMATION

Ecological effects information : No known ecological damage caused by this product.



SAFETY DATA SHEET

Page: 3/3 Revised edition no: 1

Date: 15/7/2005

Supersedes: 0/0/0

Helium

AL061A

13 DISPOSAL CONSIDERATIONS

General : Do not discharge into any place where its accumulation could be dangerous.

> To atmosphere in a well ventilated place. Contact supplier if guidance is required.

14 TRANSPORT INFORMATION

UN No. : 1046 : 20 H.I. nr

ADR/RID

- Proper shipping name : HELIUM, COMPRESSED

- ADR Class : 2 - ADR/RID Classification code : 1 A

- Labelling ADR : Label 2.2 : Non flammable, non toxic gas.

Other transport information

: Avoid transport on vehicles where the load space is not separated from the driver's compartment.

Ensure vehicle driver is aware of the potential hazards of the load and knows what

to do in the event of an accident or an emergency.

Before transporting product containers: - Ensure that containers are firmly secured.

- Ensure cylinder valve is closed and not leaking.

- Ensure valve outlet cap nut or plug (where provided) is correctly fitted.

- Ensure valve protection device (where provided) is correctly fitted.

- Ensure there is adequate ventilation.

- Compliance with applicable regulations.

15 REGULATORY INFORMATION

EC Classification : Not included in Annex I.

Not classified as dangerous preparation/substance.

EC Labelling : No EC labelling required.

- Symbol(s) : None. - R Phrase(s) : None - S Phrase(s) : None.

16 OTHER INFORMATION

Asphyxiant in high concentrations.

Keep container in a well-ventilated place.

Do not breathe the gas.

Ensure all national/local regulations are observed.

The hazard of asphyxiation is often overlooked and must be stressed during operator training.

This Safety Data Sheet has been established in accordance with the applicable European Directives and applies to all countries that have translated the Directives in their national laws.

Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.

Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.

Recommended uses and restrictions : This SDS is for information purposes only and is subject to change without notice. [

Prior to purchase of products, please contact your local AIR LIQUIDE office for a complete SDS (with Manufacturer's name and emergency phone number).]

End of document